SHARP

DESKTOP COLOR DOCUMENT SYSTEMS



Sharp desktop color document systems deliver leading-edge integration and powerful productivity, all in a small compact design.

A HIGHER BENCHMARK OF INNOVATION

The MX-C357F desktop color document system delivers crisp, high-quality output with exceptional ease of use. This model provides customers with an intuitive user experience and the confidence of knowing their jobs will come out right the first time, every time. Designed with robust technology and software typically found on larger machines, the compact MX-C357F delivers the productivity you need with the performance and reliability you want in your workplace or home office.

Key Features

- Ease of Use Intuitive 4.3" (diagonal) touchscreen display offers a user-friendly graphical
 interface with simplified Easy Modes, integrated user guides and quick access to network services.
- Productivity Out-of-the-box copy, print, scan and fax capabilities standard plus Cloud Connect
 features and optional wireless connectivity enables users to easily manage their workflow from
 PCs, smartphones and tablets.
- Workplace Friendly Integrates seamlessly with today's complex network environments and supports popular cloud services and mobile technologies. Sharp utilizes system updates to provide feature enhancements and to ensure your machine remains compatible with current technology.

The compact MX-C357F desktop color document system offers powerful productivity features enabling users to quickly execute workflow tasks whether in the office, or working from home.



DESIGNED TO DELIVER HIGH PRODUCTIVITY



INTUITIVE INTERFACE

VERSATILE DESIGN

OUT-OF-THE-BOX PRODUCTIVITY

Reliable Document System that meets tomorrow's business needs today.

- Standard copy, print, scan and fax capability right out-of-the-box.
- Compact design easily fits into small offices or home workspaces in desktop or console configuration.
- 50-sheet reversing single pass feeder scans at speeds up to 50 images per minute.
- Supports letter size, legal size and envelopes through the standard paper drawer or bypass tray.
- Offers up to **four paper sources** with available 1,451-sheet maximum paper capacity.
- 1,200 x 1,200 dpi printing delivers clear, crisp images and text page after page.
- 4.3" (diagonal) color touchscreen with adjustable viewing angle offers smooth, tablet-style interaction.



- Optional **compact PDF** feature dramatically reduces the file size of most color scanned documents.
- Convenient front-facing USB port for easy direct printing of PDF files from a USB drive without having to access a PC.
- Print Microsoft[®] Word, Excel[®], or PowerPoint[®] files directly from a mobile device, USB drive, or file server.
- **Optical character recognition** (OCR) compatibility available via third-party applications, allows users to convert a scanned document into a searchable PDF file or into an editable Word file.
- **Supports popular mobile technologies**, enabling users to easily print files from smartphones, tablets and even notebook computers.
- Protect your intellectual property: A wide range of security features help to keep your information safe, whether it's in a document, on the device, or over your network.
- Sharp Remote Device Manager (SRDM) allows administrators to have centralized control of the networked MFP in order to simplify installation and management.

MX-C357F SPECIFICATIONS

MX-C357F	Base model includes 50-sheet RSPF, PCL® 6 and PostScript®
	3™ printing systems, network scanning, auto duplexing,
	1 x 250-sheet paper drawer, 1-sheet bypass tray. Imaging kits
	and starter tone included.
Туре	Desktop color multifunction printer
Display	4.3" (diagonal) color dot matrix high-resolution touchscreen
Functions	Copy, print, network print, network scan and fax
Originals	Sheets and bound documents
Max. Original Size	8½" x 14"
Output Size	Min. 5½" x 8½", Max. 8½" x 14"
Copy Speed	35 ppm (8 1/2" x 11")
First Copy Time	Platen Glass: Mono 8.5, Color 10
(in seconds) ²	Doc Feeder: Mono 9, Color 9.5
Magnification	25% to 400% in 1% increments
Original Feed	50-sheet RSPF
Scan Speed	Up to 50 ipm (Mono)/32 ipm (Color)
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business card
Paper Capacity	Standard: 251 sheets/Maximum: 1,451 sheets
Paper Feed	Standard: (1) 250-sheet paper drawers (letter/legal/
System ²	statement size/ envelopes/labels). labels) System and 1-sheet
Oyotom	bypass tray (letter/legal/statement/envelope size). Optional:
	(1) 650-sheet duo drawer (550-sheet + 100-sheet bypass),
	(1) 550-sheet paper drawer (letter/legal/statement
	size/labels)
Paper Weights	Standard and optional paper drawers: Plain paper 16-24 lb.
and Types	bond, Heavy paper 28 lb. bond - 80 lb. cover. Other paper
and Types	types include plain, recycled, pre-punched, letterhead, pre-
	printed, color, gloss, cardstock, 16-28 lb. envelopes (only duo
	drawer) and 58 lb. bond labels. Bypass tray: 16-20 lb. bond
	(thin paper), 20-24 lb. bond (plain paper), 24lb. bond-65 lb.
	cover (heavy paper), 20-24 lb. bond, cardstock and envelopes
Duplexing	Standard automatic duplex copying and printing
CPU	1 GHz multi-processor design
Interface ¹	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 2 host, high
	speed ports, (front), wireless LAN optional (IEEE 802.11 a/
Mamani	ac/b/g/n)
Memory	Standard: 2 GB/Maximum: 6 GB
Hard Disk Drive	Optional 500 GB
Copy Resolution	Up to 600 x 600 dpi
Copy Features	Scan-once print many, electronic sorting, Auto Paper Selection
	(APS), Auto Magnification (AMS), darkness, save as shortcut,
	auto center, background removal, contrast, mirror image,
	negative image, scan edge-to-edge, shadow detail, sharpness,
	color dropout, job build (with HDD), cover page setup, edge
	erase, header/footer, margin shift, overlay, separator sheets.
Account Control	Supports user authentication via user-number
Output Tray	Center Exit Tray (Main): 300 sheets plain paper/ 50 envelopes
Capacity	
Cloud Supported	Google Drive, OneDrive for Business, SharePoint Online,
Services ³	Dropbox and Box.

IPv6 X, ICMP X, IGMP X, 802.1x Includes IP address filtering, protocol filtering, TLS Encryption, Kerberos, AES 256 bit data er optional data overwrite (up to 3 times) Firmware	tocol filtering, port control, 56 bit data encryption, times) sork update capability g with user/administrator ess to service logs and sistment of key touch sound e stop, job programs, and ram Ver. 3.0, European RoHS otacle d compatible dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal and printing, confidential diffierent cover page/ fillinge rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, Gif., JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web
Data Security TLS Encryption, Kerberos, ĀES 256 bit data et optional data overwrite (up to 3 times) Firmware Flash ROM with local (USB), network update of and firmware update 1 to N Device Setup Web-based management/cloning with user/active login Service/Functions Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout Environmental International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System Pol. Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Windows Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, coprint, custom image registration, different cor last page/other page, document filling, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 11, Windows 12, Windows 13, Windows 14, Windows 15, Windows 16, Windows 16, Windows 17, Windows 18, Windows	56 bit data encryption, times) work update capability work update capability work update capability work update capability with user/administrator ess to service logs and strent of key touch sound e stop, job programs, and ram Ver. 3.0, European RoHS stacle downs 10, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal and Control of the printing, confidential, different cover page/filing, duplex printing, mage rotation, image type, printing, pamphlet style, mode, tray status, user mprint. X, Gif., JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web st 8.1, Windows 10,
pitional data overwrite (up to 3 times) Firmware Management Flash ROM with local (USB), network update of and firmware update 1 to N Web-based management/cloning with user/ac level login Remote Front Panel, remote access to service click counts Accessibility Frea top tilting front panel, adjustment of key and speed, document feeder free stop, job produced international ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows 97, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows Print (requires Microsoft connector) Mobile Printing Air/Print, Android printing framework Print Features Auto configuration, bar code font printing, coprint, custom image registration, different con last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems	times) work update capability g with user/administrator ess to service logs and strent of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH obtacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal or) t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web ss 8.1, Windows 10,
Firmware Management Device Setup Web-based management/cloning with user/ac level login Service/Functions Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows 9", Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2012, Window Server 2013, Windows Print (requires Microsoft connector) AirPrint, Android printing framework Auto configuration, bar code font printing, corprint, custom image registration, different coals to a page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray stauthentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 3, Windows 8.1, Windows 8.1, Windows 7, Windows 8.1, Windows 8.1, Windows 8.1, Windows 8.1, Windows 9.1, Windows	work update capability g with user/administrator ess to service logs and stment of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH btacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal or) orork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web
Management and firmware update 1 to N Web-based management/cloning with user/active login Service/Functions Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout Environmental International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System Poll Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows 7, Windows 8.1, Windows 10, Win Server 2019, Windows Windows Server 2019, Windows PD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Mobile Printing AirPrint, Android printing framework Auto configuration, bar code font printing, con print, custom image registration, different cor last page/other page, document filling, uplus electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems	g with user/administrator ess to service logs and stment of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH otacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal and and transparent cover page/ fillierent cover page/ printing, confidential different cover page/ printing, pamphlet style, mode, tray status, user m print. X, GiF, JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web
Device Setup Web-based management/cloning with user/ac level login Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows 8.1, Windows 10, Win Server 2012, Windows PPD, MAC OS 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Mobile Printing Aurphic, Independent filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, comprint, custom image registration, different consist page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stalping, toner save mode, tray st authentication, watermarks, comp print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPE6, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems	ess to service logs and street of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH stacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including MIX®, Linux® PPD, Universal or or t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web
Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job produced by a screen timeout literational ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4* (w) x 23.1* (d) x 18.2* (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2* x 11*) Windows* 7, Windows 8.1, Windows 10, Win Server* 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX*, Linux* I Print (requires Microsoft connector) Mobile Printing Air Frint, Android printing framework Auto configuration, bar code font printing, corprint, custom image registration, different couls as page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8	ess to service logs and street of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH otacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including MIX®, Linux® PPD, Universal or or or to the street of the st
Service/Functions Remote Front Panel, remote access to service click counts Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows 9" 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PD, MAC OS 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) AirPrint, Android printing framework Auto configuration, bar code font printing, corprint, custom image registration, different coals tage/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 3, Windows 8.1, Windows 11, Windows 7, Windows 8, Windows	istment of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH otacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal art) rork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GiF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Click counts Click counts Click counts Features Accessibility Free stop tilting front panel, adjustment of key and speed, document feeder free stop, job prodisable screen timeout Environmental International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, coprint, custom image registration, different corlast page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, Mindows 8, Mindows 1, Window	istment of key touch sound e stop, job programs, and ram Ver. 3.0, European RoH otacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal art) rork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GiF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Accessibility Features and speed, document feeder free stop, job predicable screen timeout Environmental International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Mobile Printing AirPrint, Android printing framework Auto configuration, bar code font printing, cor print, custom image registration, different co- last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windo	e stop, job programs, and ram Ver. 3.0, European RoH stacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including MIX®, Linux® PPD, Universal or) filling, duplex printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Features and speed, document feeder free stop, job price disable screen timeout International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 kWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing Air (suction in age registration, different con last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 3, Windows 8,1,	e stop, job programs, and ram Ver. 3.0, European RoH stacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including MIX®, Linux® PPD, Universal or) filling, duplex printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
disable screen timeout International ENERGY STAR Program Ver. 3.0, Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 kWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code for printing, con print, custom image registration, different coo last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, Windows 8, 1, Window	ram Ver. 3.0, European RoH otacle dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal or) rorck t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Environmental Standards Blue Angel (RAL-UZ205) Power Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, coprint, custom image registration, different cor last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, 1, Windows 8, Windows 8, Windows 8, Windows 8, 1, Windows 8, Windows 8, Windows 8, Windows 8, 1, Windows 8, Windows 8, Windows 8, Windows 8, 1, Windows 8, Windows 8, Windows 8, Windows 8, 1, Windows 8, Windows 8, Windows 8, Windows 8, 1, Windows 9, Windows 9, Windows 8, Windows 8, Windows 8, 1, Windows 9, Windows 9, Windows 8, W	otacle dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including NIX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Standards Blue Angel (RAL-UZ205) Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, corprint, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, 1, Windows 11, Window 12, 12, 12, 12, 12, 12, 12, 12, 12, 12,	otacle dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including NIX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 KWh Weight 60 lbs. Dimensions 17.44 "(w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows" 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, corprint, custom image registration, different coal cast page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, 1, Windows 8, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	dows 10, Windows 2012, Windows Server 2016, PPD, MAC OSX® (including NIX®, Linux® PPD, Universal xy) orork t printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Power 110-127V AC, 60 HZ, 12 A receptacle Power Consumption 1.44 kWh 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows Server 2019, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 0S 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing AirPrint, Android printing framework Print Features Auto configuration, bar code font printing, conprint, custom image registration, different coal last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray stauthentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8, Windows 8.1, Windows 8.2.1	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including NIX®, Linux® PPD, Universal xy) rorok t printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Power Consumption 1.44 kWh Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print Features Auto configuration, bar code font printing, con print, custom image registration, different con last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including NIX®, Linux® PPD, Universal xy) rorok t printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Weight 60 lbs. Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows 97, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Auto configuration, bar code font printing, coprint, custom image registration, different core last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 8, Windows 8, I, Windows 8, I, Windows 1, Windo	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Dimensions 17.4" (w) x 23.1" (d) x 18.2" (h) Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 0S 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) AirPrint, Android printing framework Print Features Auto configuration, bar code font printing, corprint, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8,1, Windows 8,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Network Printing System PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Windows 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) AirPrint, Android printing framework Auto configuration, bar code font printing, corprint, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, D0C/D0CX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8.1	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing AirPrint, Android printing framework Print Features Auto configuration, bar code font printing, con print, custom image registration, different cor last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, page proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 99 fonts (PCL), 158 fonts (PS) Operating Systems Windows 8, Windows 9, Windows 8, Windows 8, Windows 8, Windows 8, Windows 8, Windows 8, Windows 9, Windows 9	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
PDL Standard PCL 6 and PostScript 3 compatible Resolution 1,200 x 1,200 dpi Print Speed 35 ppm (8 1/2" x 11") Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing AirPrint, Android printing framework Print Features Auto configuration, bar code font printing, con print, custom image registration, different cor last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, page proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 99 fonts (PCL), 158 fonts (PS) Operating Systems Windows 8, Windows 9, Windows 8, Windows 8, Windows 8, Windows 8, Windows 8, Windows 8, Windows 9, Windows 9	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Resolution 1,200 x 1,200 dpi 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) AirPrint, Android printing framework Auto configuration, bar code font printing, cor print, custom image registration, different coo last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8.	dows 10, Windows 2012, Windows Server 2016 PPD, MAC OSX® (including MX®, Linux® PPD, Universal or) rork t printing, confidential different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Print Speed 35 ppm (8 1/2" x 11") Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing Android printing framework Auto configuration, bar code font printing, con print, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray stauthentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 9.10 p. 2019, Windows 8.1, Windows 9.10 p. 2019, Wind	2012, Windows Server 2016 PPD, MAC OSX® (including NIXI®, Linux® PPD, Universal IXI) ork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Print Drivers Windows® 7, Windows 8.1, Windows 10, Win Server® 2008, Windows Server 2012, Windows Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX® I, Dint (requires Microsoft connector) Mobile Printing AirPrint, Android printing framework Print Features Auto configuration, bar code font printing, coprint, custom image registration, different corlast page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8.1, Windows 8.1	2012, Windows Server 2016 PPD, MAC OSX® (including NIXI®, Linux® PPD, Universal IXI) ork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Server® 2008, Windows Server 2012, Window Windows Server 2019, Windows PPD, MAC 05 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing AirPrint, Android printing framework Auto configuration, bar code font printing, co print, custom image registration, different cor last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 99 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Window	2012, Windows Server 2016, PPD, MAC OSX® (including NUX®, Linux® PPD, Universal IV) or the printing, confidential the printing, confidential, different cover page/filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNG Methods: FTP, SMB, Web St 8.1, Windows 10,
Windows Server 2019, Windows PPD, MAC OS 10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) Mobile Printing AirFrint, Android printing framework Auto configuration, bar code font printing, corprint, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8	PPD, MAC OSX® (including MIX®, Linux® PPD, Universal or) forork t printing, confidential, different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web ss 8.1, Windows 10,
10.10 to 10.15), all MAC PPD, UNIX®, Linux® I Print (requires Microsoft connector) ArPrint, Android printing framework Auto configuration, bar code font printing, co print, custom image registration, different cor last page/other page, document filing, quibe electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Pile Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows	NIX®, Linux® PPD, Universal yr) vork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Print (requires Microsoft connector) AirPrint, Android printing framework Auto configuration, bar code font printing, co print, custom image registration, different co last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows	or) ork tork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Mobile Printing Print Features Auto configuration, bar code font printing, coprint, custom image registration, different cover last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray stauthentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 98 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8.1	ork t printing, confidential , different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Print Features Auto configuration, bar code font printing, corprint, custom image registration, different cool last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows	t printing, confidential , different cover page/ filling, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
print, custom image registration, different cor last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Window	, different cover page/ filing, duplex printing, image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
last page/other page, document filing, duplex electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 81, Windows	filing, duplex printing, image rotation, image type, printing, pamphile style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
electronic sorting, form overlay, image rotatic job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows	image rotation, image type, printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
job retention, layout print, N-up printing, pam proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, D0C/D0CX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 98 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows	printing, pamphlet style, mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
proof print, stapling, toner save mode, tray st authentication, watermarks, zoom print. Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 99 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 81, Window	mode, tray status, user m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
authentication, watermarks, zoom print. File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8, Wind	m print. X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
Direct Printing File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows PEGENTAL TO SERVICE OF THE TO SERV	X, GIF, JPEG, PCX, PDF, PNC Methods: FTP, SMB, Web
PPT//PPTX, TIFF, XLS/XLSX, XPS. Methods: FTI page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 8,	Methods: FTP, SMB, Web
page and USB memory Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windo	vs 8.1, Windows 10,
Resident Fonts 89 fonts (PCL), 158 fonts (PS) Operating Systems Windows 7, Windows 8, Windows 8.1, Windows 7	
Operating Systems Windows 7, Windows 8, Windows 8.1, Window	
	OGIVGI ZUTU, WIIIUUWS
Server 2012, Citrix®, Linux, UNIX	/
Printing Protocols LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FT	
LPD and LPR for Unix	uit aiduj, FIF, FUFS, HIIP,

	Cyclem (commuca)	
Max. Original Size	8½" x 14"	
Optical Resolution	600 dpi	
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 75 dpi	
Image	Color Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)	
Compression	Color/Grayscale: JPEG (high, middle, low)	
Image Formats	JPEG, PDF, PDF/A-1a/1b, compact PDF, searchable PDF,	
	encrypted PDF, TIFF, XPS	
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax	
Scanning Protocols	HTTP/HTTPS,FTP/FTPS, SMTP/SMTP/SMTP-SSL/ESMTP,	
	POP3, LDAP, S/MIME	
Software	Optional third party applications	
Super G3 Facsimile Function		
Communication	Public Switched Telephone Network (PSTN) or Analog	
Line	PABX (RJ-11)	
Transmission Mode	Super G3, G3	
Modem Speed	Maximum 33.6 KBPS with auto fallback	
Compression	JBIG, MMR, MR, MH	
Scanning Method	Sheet fed or manual feed from platen glass	
Transmit Resolution	600 x 600 dpi (ultra-fine), 300 x 300 dpi (super-fine),	
	200 x 200 dpi (fine), 200 x 100 (standard)	
Transmit Speed	Approx. 3 seconds per page in Super G3 mode	
Auto Dialing	Up to 500 destinations (combined)	
Group Dialing	Up to 500 groups	
Inbound Fax	To email address, FTP or SMB using Transmit Terminal	
Routing	Identification (TTI), also Document Administration function	
	can send blind copy of transmissions and receptions to an	
	administrator email address, FTP or SMB location.	
Max. Original	Up to 14"	
Length		
Memory ¹	18 MB (with optional HDD)	
Features	Transaction Reports, Activity Reports, PC Fax, Quick On-line	
	Transmission, Inbound Fax Routing, Anti-junk Fax Reception,	
	Fax Release, Out-of-Paper Memory Reception, Auto Redial,	
	Auto Exposure, Chain Dialing, Duplex Reception, Fax	
	Forwarding, Color Page, Color Fax and Scan Preview	
	(with HDD).	
Optional Equipmen	t	
MX-CS18	550-sheet Paper Feed Unit	
MX-CS20	650-sheet duo Paper Feed Unit	
Supplies		
MX-C35TB	Black Toner Cartridge	
MX-C35TC	Cyan Toner Cartridge	
MX-C35TM	Magenta Toner Cartridge	
MX-C35TY	Yellow Toner Cartridge	
MX-C35DU-B	Black Imaging Kit	
MX-C35DU-S	Black and Color Imaging Kit	

Network Scanning System (continued)

- $^{\mbox{\scriptsize 1}}$ Some features require optional equipment. See your local dealer.
- $^2\,\text{May}$ vary depending on product configuration, machine settings and operating and/or environmental conditions.
- ³ May not yet be available for all models. Please contact a Sharp representative for











SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive and Chromebook are trademarks or registered trademarks of Google LLC. Adobe, the Adobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. All other trademarks are the property of their respective owners. Design and specifications subject to change without notice.